




Lead Free† Copper Alloy Valves


BALL VALVES


| 2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  858* IPS | 014 | \$ 9.25 | 0.25 | 20 | 120 |
| | 038 | 10.40 | 0.25 | 20 | 120 |
| | 012 | 12.40 | 0.30 | 12 | 96 |
| | 034 | 18.20 | 0.75 | 10 | 60 |
| | 100 | 29.20 | 1.67 | 6 | 36 |
| | 114 | 38.05 | 2.83 | 6 | 24 |
| | 112 | 62.00 | 3.12 | 4 | 16 |
| | 200 | 101.25 | 4.44 | 4 | 16 |
| | 212 | 222.00 | 10.50 | - | 2 |
| | 300 | 340.00 | 15.00 | - | 2 |
| 400 | 597.00 | 22.15 | - | 2 | |


| 2-Pc BODY • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  859* SOLDER | 014 | \$ - | - | - | - |
| | 038 | 10.40 | 0.25 | 20 | 120 |
| | 012 | 12.40 | 0.30 | 12 | 96 |
| | 034 | 18.20 | 0.75 | 10 | 60 |
| | 100 | 29.20 | 1.67 | 6 | 36 |
| | 114 | 38.05 | 2.38 | 6 | 24 |
| | 112 | 62.00 | 3.12 | 4 | 16 |
| | 200 | 101.25 | 4.44 | 4 | 16 |
| | 212 | 222.00 | 10.50 | - | 2 |
| | 300 | 340.00 | 15.00 | - | 2 |
| - | - | - | - | - | - |

WING HANDLE

| 2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  858W* IPS | 014 | \$ 10.50 | - | 20 | 120 |
| | 038 | 10.10 | - | 20 | 120 |
| | 012 | 13.85 | 0.50 | 12 | 96 |
| | 034 | 22.80 | 0.75 | 10 | 60 |
| | 100 | 35.80 | 1.20 | 6 | 36 |
| | 114 | 48.85 | 1.75 | 6 | 24 |
| | 112 | 73.70 | 2.80 | 4 | 16 |
| | 200 | 117.70 | 4.75 | 4 | 16 |

| 2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  859W* SOLDER | 014 | \$ - | - | - | - |
| | 038 | 10.10 | 0.25 | 20 | 120 |
| | 012 | 13.85 | 0.30 | 12 | 96 |
| | 034 | 22.80 | 0.75 | 10 | 60 |
| | 100 | 35.80 | 1.20 | 6 | 36 |
| | 114 | 48.85 | 1.75 | 6 | 24 |
| | 112 | 73.70 | 2.80 | 4 | 16 |
| | 200 | 117.70 | 4.75 | 4 | 16 |

| 2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS/SEALS • 600 CWP/212°F | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  868 IPS | 014 | \$ 13.65 | 0.40 | 20 | 120 |
| | 038 | 18.05 | 0.40 | 20 | 120 |
| | 012 | 18.65 | 0.54 | 12 | 96 |
| | 034 | 28.15 | 0.83 | 10 | 60 |
| | 100 | 43.15 | 1.42 | 6 | 36 |
| | 114 | 58.80 | 2.08 | 6 | 24 |
| | 112 | 88.65 | 3.38 | 4 | 16 |
| | 200 | 130.75 | 4.50 | 2 | 8 |

| 2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS/SEALS • 600 CWP/212°F | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  869 SOLDER | 014 | \$ - | - | - | - |
| | 038 | 18.05 | 0.40 | 20 | 120 |
| | 012 | 18.65 | 0.54 | 12 | 96 |
| | 034 | 28.15 | 0.83 | 10 | 60 |
| | 100 | 43.15 | 1.42 | 6 | 36 |
| | 114 | 58.80 | 2.08 | 6 | 24 |
| | 112 | 88.65 | 3.38 | 4 | 16 |
| | 200 | 130.75 | 4.50 | 4 | 16 |


* Maintenance Free Double O-Ring Stem Seal Design
‡ 1" ≤ 304 SS Ball





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


LEAD FREE† COPPER ALLOY

BALL VALVES


| 2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  868M IPS | 014 | \$ 36.15 | 0.40 | 20 | 120 |
| | 038 | 34.85 | 0.40 | 20 | 120 |
| | 012 | 36.45 | 0.54 | 12 | 96 |
| | 034 | 45.15 | 0.83 | 10 | 60 |
| | 100 | 64.25 | 1.42 | 6 | 36 |
| | 114 | 110.25 | 2.08 | 6 | 24 |
| | 112 | 151.50 | 3.38 | 4 | 16 |
| | 200 | 197.00 | 4.50 | 2 | 8 |


| 2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  869M SOLDER | 014 | \$ - | - | - | - |
| | 038 | 34.85 | 0.40 | 20 | 120 |
| | 012 | 36.45 | 0.54 | 12 | 96 |
| | 034 | 45.15 | 0.83 | 10 | 60 |
| | 100 | 64.25 | 1.42 | 6 | 36 |
| | 114 | 110.25 | 2.08 | 6 | 24 |
| | 112 | 151.50 | 3.38 | 4 | 16 |
| | 200 | 197.00 | 4.50 | 4 | 16 |

| 3-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS • 600 CWP/212°F | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  862 IPS | 012 | \$ 74.00 | 1.00 | 6 | 36 |
| | 034 | 91.00 | 1.00 | 4 | 24 |
| | 100 | 138.00 | 2.00 | 4 | 16 |
| | 114 | 203.00 | 4.00 | 2 | 8 |
| | 112 | 332.00 | 7.00 | 6 | - |
| | 200 | 574.00 | 11.00 | 4 | - |

| 3-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS • 600 CWP/212°F | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  863 SOLDER | 012 | \$ 74.00 | 1.00 | 6 | 36 |
| | 034 | 91.00 | 1.00 | 4 | 24 |
| | 100 | 138.00 | 2.00 | 4 | 16 |
| | 114 | 203.00 | 4.00 | 2 | 8 |
| | 112 | 332.00 | 7.00 | 6 | - |
| | 200 | 574.00 | 11.00 | 4 | - |

‡ 1" ≤ 304 SS Ball

| 3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F | | | | | |
|--|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  862M IPS | 012 | \$ 87.00 | 1.00 | 6 | 36 |
| | 034 | 106.00 | 1.00 | 4 | 24 |
| | 100 | 153.00 | 2.00 | 4 | 16 |
| | 114 | 251.00 | 4.00 | 2 | 8 |
| | 112 | 396.00 | 7.00 | 6 | - |
| | 200 | 729.00 | 11.00 | 4 | - |



| 3-Pc Body • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  863M SOLDER | 012 | \$ 87.00 | 1.00 | 6 | 36 |
| | 034 | 106.00 | 1.00 | 4 | 24 |
| | 100 | 153.00 | 2.00 | 4 | 16 |
| | 114 | 251.00 | 4.00 | 2 | 8 |
| | 112 | 396.00 | 7.00 | 6 | - |
| | 200 | 729.00 | 11.00 | 4 | - |



† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

LEAD FREE† COPPER ALLOY BALL VALVES


K-PRESS


| FULL PORT • Cr BALL 200 PSI K-PRESS ENDS | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  801XL/XLC*  | 012 | \$ 37.00 | 0.52 | 40 | 80 |
| | 034 | 51.00 | 0.86 | 25 | 50 |
| | 100 | 73.00 | 1.28 | 20 | 40 |
| | 114 | 115.00 | 2.11 | 10 | 20 |
| | 112 | 155.00 | 3.60 | 6 | 12 |
| | 200 | 230.00 | 4.80 | 4 | 8 |
| | 212 | 552.00 | 12.08 | 1 | 2 |
| | 300 | 788.00 | 16.90 | - | 2 |
| | 400 | 1,130.00 | 25.86 | - | 2 |

* XLC connections are standard for 2½" ~ 4"


** UL Certified to NSF/ANSI 61-G and 372


3-WAY

| 2-Pc Body • LPort • REGULAR PORT PLATED BALL • 400 CWP/212°F | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  854 IPS | 012 | \$ 32.55 | 0.98 | 10 | 40 |
| | 034 | 47.70 | 1.31 | 8 | 32 |
| | 100 | 71.75 | 2.00 | 8 | 32 |
| | 114 | 106.50 | 2.80 | 6 | 12 |
| | 112 | 155.50 | 3.90 | 4 | 8 |
| | 200 | 255.00 | 6.00 | 2 | 4 |

| 2-Pc Body • LPort • REGULAR PORT PLATED BALL • 400 CWP/212°F | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  855 SOLDER | 012 | \$ 32.55 | 0.98 | 10 | 40 |
| | 034 | 47.70 | 1.31 | 8 | 32 |
| | 100 | 71.75 | 2.00 | 8 | 32 |
| | 114 | 106.50 | 2.80 | 6 | 12 |
| | 112 | 155.50 | 3.90 | 4 | 8 |
| | 200 | 255.00 | 6.00 | 2 | 4 |


CAP & CHAIN**


| 2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  868C IPS x HOSE | 012 | \$ 33.00 | 0.54 | 12 | 96 |
| | 034 | 46.65 | 0.83 | 10 | 60 |

| 2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  869C C x HOSE | 012 | \$ 33.00 | 0.54 | 12 | 96 |
| | 034 | 46.65 | 0.83 | 10 | 60 |

** Cap is not intended to retain pressure.

DRAINABLE


| 2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  868AD IPS | 012 | \$ 22.10 | 0.54 | 12 | 96 |
| | 034 | 33.70 | 0.83 | 10 | 60 |
| | 100 | 47.60 | 1.26 | 6 | 36 |


| 2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  869AD SOLDER | 012 | \$ 22.10 | 0.42 | 12 | 96 |
| | 034 | 33.70 | 0.75 | 10 | 60 |
| | 100 | 47.60 | 1.30 | 6 | 36 |





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

LEAD FREE† COPPER ALLOY GATE VALVES


| CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  807 IPS | 012 | \$ 31.40 | 0.57 | 10 | 60 |
| | 034 | 40.95 | 0.81 | 5 | 50 |
| | 100 | 67.65 | 1.19 | 6 | 36 |
| | 114 | 86.00 | 1.72 | 6 | 24 |
| | 112 | 103.75 | 2.10 | 5 | 20 |
| | 200 | 122.85 | 3.50 | 3 | 12 |


| CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  808 SOLDER | 012 | \$ 31.40 | 0.57 | 10 | 60 |
| | 034 | 40.95 | 0.81 | 8 | 32 |
| | 100 | 67.65 | 1.19 | 6 | 36 |
| | 114 | 86.00 | 1.72 | 6 | 24 |
| | 112 | 103.75 | 2.10 | 5 | 20 |
| | 200 | 122.85 | 3.50 | 2 | 12 |

| CLASS 125 • SCREW-OVER BONNET NON-RISING STEM • SOLID WEDGE DISC | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  827 IPS | 012 | \$ 35.90 | 0.71 | 8 | 48 |
| | 034 | 46.85 | 0.90 | 5 | 30 |
| | 100 | 77.50 | 1.43 | 5 | 30 |
| | 114 | 98.50 | 1.93 | 5 | 20 |
| | 112 | 118.65 | 2.63 | 4 | 16 |
| | 200 | 140.70 | 4.19 | 2 | 8 |

| CLASS 125 • SCREW-OVER BONNET NON-RISING STEM • SOLID WEDGE DISC | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  828 Solder | 012 | \$ 35.90 | 0.71 | 8 | 48 |
| | 034 | 46.85 | 0.90 | 5 | 30 |
| | 100 | 77.50 | 1.43 | 5 | 30 |
| | 114 | 98.50 | 1.93 | 5 | 20 |
| | 112 | 118.65 | 2.63 | 4 | 16 |
| | 200 | 140.70 | 4.19 | 2 | 8 |

GLOBE VALVES


| CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  811 IPS | 012 | \$ 75.85 | 0.71 | 10 | 60 |
| | 034 | 94.00 | 1.37 | 7 | 28 |
| | 100 | 132.50 | 1.80 | 6 | 24 |
| | 114 | 178.00 | 2.63 | 5 | 20 |
| | 112 | 219.00 | 3.88 | 4 | 16 |
| | 200 | 336.00 | 6.63 | 2 | 8 |


| CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT | | | | | |
|---|-----------|------------|----------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  812 Solder | 012 | \$ 75.85 | 0.66 | 10 | 60 |
| | 034 | 94.00 | 1.23 | 7 | 28 |
| | 100 | 132.50 | 1.69 | 6 | 24 |
| | 114 | 178.00 | 2.51 | 5 | 20 |
| | 112 | 219.00 | 3.66 | 4 | 16 |
| | 200 | 336.00 | 6.40 | 2 | 8 |





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


LEAD FREE† COPPER ALLOY CHECK VALVES


| CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  804 IPS | 012 | \$ 29.95 | 0.68 | 12 | 72 |
| | 034 | 43.70 | 1.00 | 10 | 40 |
| | 100 | 67.75 | 1.54 | 8 | 32 |
| | 114 | 93.00 | 2.33 | 4 | 16 |
| | 112 | 126.50 | 3.00 | 3 | 12 |
| | 200 | 216.00 | 4.92 | 2 | 8 |


| CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  814 SOLDER | 012 | \$ 29.95 | 0.68 | 12 | 72 |
| | 034 | 43.70 | 1.00 | 10 | 40 |
| | 100 | 67.75 | 1.54 | 8 | 32 |
| | 114 | 93.00 | 2.33 | 4 | 16 |
| | 112 | 126.50 | 3.00 | 3 | 12 |
| | 200 | 216.00 | 4.92 | 2 | 8 |


| CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  822 IPS | 012 | \$ 42.95 | 0.33 | 12 | 96 |
| | 034 | 57.00 | 0.90 | 10 | 60 |
| | 100 | 72.15 | 1.00 | 8 | 48 |
| | 114 | 115.50 | 2.04 | 4 | 24 |
| | 112 | 132.50 | 2.61 | 3 | 18 |
| | 200 | 196.35 | 5.92 | 3 | 12 |

| CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  823 SOLDER | 012 | \$ 42.95 | 0.33 | 12 | 96 |
| | 034 | 57.00 | 0.90 | 10 | 60 |
| | 100 | 72.15 | 1.00 | 8 | 48 |
| | 114 | 115.50 | 2.04 | 4 | 24 |
| | 112 | 132.50 | 2.61 | 3 | 18 |
| | 200 | 196.35 | 5.92 | 3 | 12 |

| CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  822T IPS | 012 | \$ 35.45 | 0.33 | 12 | 96 |
| | 034 | 55.65 | 0.90 | 10 | 60 |
| | 100 | 79.80 | 1.00 | 8 | 48 |
| | 114 | 108.80 | 2.04 | 4 | 24 |
| | 112 | 169.60 | 2.61 | 3 | 18 |
| | 200 | 242.15 | 5.92 | 3 | 12 |

| CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  823T SOLDER | 012 | \$ 35.45 | 0.33 | 12 | 96 |
| | 034 | 55.65 | 0.90 | 10 | 60 |
| | 100 | 79.80 | 1.00 | 8 | 48 |
| | 114 | 108.80 | 2.04 | 4 | 24 |
| | 112 | 169.60 | 2.61 | 3 | 18 |
| | 200 | 242.15 | 5.92 | 3 | 12 |

| LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC | | | | | |
|---|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  836 IPS | 012 | \$ 26.05 | 0.38 | 20 | 160 |
| | 034 | 31.40 | 0.56 | 12 | 96 |
| | 100 | 43.05 | 0.86 | 9 | 72 |
| | 114 | 53.90 | 1.25 | 6 | 48 |
| | 112 | 70.70 | 1.78 | 6 | 36 |
| | 200 | 107.65 | 2.88 | 3 | 24 |

| LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC | | | | | |
|--|--------------|---------------|-------------|-----------|-----|
| CODE NUMBER | SIZE CODE | LIST PRICE | WT. LBS. | PACKAGING | |
| | | | | BOX | CTN |
|  826 SOLDER | 012 | \$ 26.50 | 0.38 | 20 | 160 |
| | 034 | 31.40 | 0.56 | 12 | 96 |
| | 100 | 43.05 | 0.86 | 9 | 72 |
| | 114 | 53.90 | 1.25 | 6 | 48 |
| | 112 | 70.70 | 1.78 | 6 | 36 |
| | 200 | 107.65 | 2.88 | 3 | 24 |



† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

OPTIONS & ACCESSORIES* FOR BALL VALVES

858 / 859 Series

| OPTION | CODE NO. | SIZES | SPECIFY | LIST PRICE | LIST PRICE INSTALLED |
|-----------------------------------|----------|-------------|------------|------------|----------------------|
| Extension Stem | 858/859 | 1/4" - 3/4" | EL-600 | \$ 15.15 | \$ 18.25 |
| | | 1" - 1 1/4" | EL-601 | 18.70 | 21.80 |
| | | 1 1/2" - 2" | EL-602 | 23.20 | 26.30 |
| | | 2 1/2" - 4" | EL-604 | 69.20 | 72.30 |
| Memory Stop Plate | 858/859 | 1/4" - 3/4" | MS-600 | 2.20 | 5.30 |
| | | 1" - 1 1/4" | MS-601 | 2.45 | 5.55 |
| | | 1 1/2" - 2" | MS-602 | 2.90 | 6.00 |
| Lever Handle | 858/859 | 1/4" - 3/8" | LH(Code #) | 7.80 | — |
| | | 1/2" - 3/4" | | 10.00 | |
| | | 1" - 1 1/4" | | 11.25 | |
| | | 1 1/2" - 2" | | 12.50 | |
| | | 2 1/2" | | 19.85 | |
| 3" - 4" | 77.60 | | | | |
| Stainless Lever & Nut (304 SS) | 858/859 | 1/4" - 3/4" | SSL-600 | 4.85 | 7.95 |
| | | 1" - 1 1/4" | SSL-601 | 7.80 | 10.90 |
| | | 1 1/2" - 2" | SSL-602 | 10.75 | 13.85 |
| Oval Handle | 858/859 | 1/4" - 3/4" | OH-600 | 17.05 | 20.15 |
| | | 1" - 1 1/4" | OH-601 | 23.95 | 27.05 |
| | | 1 1/2" - 2" | OH-602 | 26.00 | 29.10 |
| Wing Handle | 858/859 | 1/4" - 3/4" | WH-600 | 5.90 | 9.00 |
| | | 1" - 1 1/4" | WH-601 | 10.80 | 13.90 |
| | | 1 1/2" - 2" | WH-602 | 18.30 | 21.40 |

*Accessories are interchangeable with their Leaded counterparts which have Yellow plastic covers.

OPTIONS & ACCESSORIES* FOR BALL VALVES

868 / 869 Series & Others

| OPTION | VALVE SERIES CODE NO. | SIZES | SPECIFY | LIST PRICE | LIST PRICE INSTALLED |
|---|-----------------------|-------------|--------------|------------|----------------------|
| Insulated Stem Extension | 868/869 | 1/4" - 1/2" | ISE-1 | \$ 29.00 | \$ 32.10 |
| | 862/863 | 3/4" | ISE-2 | 29.00 | 32.10 |
| | | 1" - 1 1/4" | ISE-3 | 32.65 | 35.75 |
| | | 1 1/2" - 2" | ISE-4 | 61.75 | 64.85 |
| Memory Stop | 868/869 | 1/4" - 3/4" | MS-1 | 3.70 | 6.80 |
| | 862/863 | 1" - 1 1/4" | MS-2 | 5.50 | 8.60 |
| | | 1 1/2" - 2" | MS-3 | 6.30 | 9.40 |
| Locking Levers (Stainless Steel) | 868/869 862/863 | 1/4" - 3/8" | LL-1 | 12.70 | 15.80 |
| | | 1/2" | LL-2 | 12.70 | 15.80 |
| | | 3/4" | LL-3 | 14.50 | 17.60 |
| | | 1" - 1 1/4" | LL-4 | 15.45 | 18.55 |
| | | 1 1/2" - 2" | LL-5 | 16.40 | 19.50 |
| Lever Handles | All | 1/4" - 3/8" | LH(Fig. No.) | 7.80 | - |
| | | 1/2" - 3/4" | | 10.00 | - |
| | | 1" - 1 1/4" | | 11.25 | - |
| | | 1 1/2" - 2" | | 12.50 | - |
| | | 2 1/2" | | 19.85 | - |
| | | 3" | | 77.60 | - |
| 4" | 77.60 | - | | | |
| Oval Handles | 854/855 | 1/2" - 3/4" | OH-2 | 17.05 | 19.35 |
| | | 1" - 1 1/2" | OH-3 | 24.50 | 26.40 |
| | | 2" | OH-4 | 25.55 | 27.40 |
| | 868/869 862/863 | 1/4" - 1/2" | OH-1 | 16.50 | 19.60 |
| | | 3/4" | OH-2 | 17.05 | 20.15 |
| | | 1" - 1 1/4" | OH-3 | 24.50 | 27.60 |
| | | 1 1/2" - 2" | OH-4 | 25.50 | 28.60 |
| | | | | | |
| Locking Oval (Stainless Steel) | 868/869 862/863 | 1/4" - 1/2" | OH-2L | 24.50 | 27.60 |
| | | 3/4" | OH-3L | 24.50 | 27.60 |
| | | 1" - 1 1/4" | OH-4L | 34.45 | 37.55 |
| | | 1 1/2" - 2" | OH-5L | 36.35 | 39.45 |
| Wing Handle | 868/869 862/863 | 1/4" - 1/2" | WH-1 | 6.20 | 9.30 |
| | | 3/4" | WH-2 | 6.20 | 9.30 |
| | | 1" - 1 1/4" | WH-3 | 11.35 | 14.45 |
| | | 1 1/2" - 2" | WH-4 | 19.15 | 22.25 |
| | | 2 1/2" | WH-5 | 81.70 | 84.80 |
| | | 3" | WH-6 | 92.60 | 95.70 |
| Anti-Static Grounding Spring | All | 1/4" - 3/4" | GS-1 | 5.00 | 8.10 |
| | | 1" - 1 1/4" | GS-2 | 5.00 | 8.10 |
| | | 1 1/2" - 2" | GS-3 | 5.00 | 8.10 |

*Accessories are interchangeable with their Leaded counterparts which have Orange plastic covers.

GENERAL TERMS AND CONDITIONS

ACCEPTANCE

All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

FREIGHT

All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

PRICES

There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

ESCALATION TERMS

Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

DEFERRED SHIPMENTS

If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

CREDIT TERMS

As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

DELIVERIES

Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

RETURNS

No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

WARRANTY

Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty* is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. **The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.**

DESIGN

Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

NOTE

KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

*K-Press warranty is limited to two years.

DESIGN STANDARDS

Manufacturers Standardization Society (MSS) of the Valve and Fitting Industry, Inc.

SP-25 - Standard Marketing System for Valves, Fitting, Flanges and Unions

SP-110 - Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flare Ends

NSF/ANSI 61 - Drinking Water System Components-Health Effects

NSF/ANSI 372 - Drinking Water System Components - Lead Content



KITZ®

KITZ CORPORATION OF AMERICA

10750 CORPORATE DRIVE • STAFFORD, TEXAS 77477 U.S.A.

TEL: (281) 491-7333 • FAX: (281) 491-9402 • TOLL FREE: 1-800-772-0073 • www.kitzus-kca.com

Copyright © 2011, Kitz Corporation of America

KITZ®